



2022 RETAIL PRICING

PRICES EFFECTIVE APRIL I, 2022







# RETRACTABLE WHEEL SYSTEM W/ HAND SHOWER

MODEL NO. 10103

- Wheel spring technology allows the hand shower to be extracted from holder with ease.
- Hand shower hose locks in place when deployed, then auto retracts with a gentle tug.
- 68" hose length.
- 4" wide spray face.
- 1.75 gpm flow rate.
- Hand shower can be adjusted up and down to desired spray angle.
- Hand shower includes thumb tab for a smooth transition between spray options.
- 3 individual spray options firm, massage or soft aerated spray.
- Resistant to reverse osmosis water.



# THERMOSTATIC SHOWER TRIM W/ BUILT-IN VOLUME CONTROL

MODEL NO. 10101

- Rough-in valve required (sold separately, model #10120).
- Independent controls for volume and water temperature.
- Hot limit stop prevents scalding.
- Push and turn handle feature overrides hot limit stop to increase water temperature.
- Volume control operates by stainless steel mechanical gear and drive screw system.
- 6-1/2"W x 11"H trim plate size.
- Includes cartridge stem extension kit for wall thickness up to 3".



MODEL NO. 10108



- 9" shower arm reach.
- 1.75 gpm maximum flow rate.
- 5-1/2"W x 7-1/4"H back plate.
- Shower head includes thumb tab for a smooth transition between spray options.
- 3 individual spray options firm, massage or soft aerated spray.
- Shower head can swivel in any direction for desired spray angle.
- Resistant to reverse osmosis water.



#### **DIVERTER TRIM**

MODEL NO. 10105

- Rough-in valve required (sold separately, model #10121).
- Nautical industrial inspired design enhances any bathroom.
- Single handle diverter allows a quick switch between 2 or 3 individual components.
- Provides 18 gpm flow rate at 45 psi.
- When turned, handle gently clicks into desired function.
- 6-1/2"W x 6-1/2"H trim plate size.
- Includes cartridge stem extension kit for wall thickness up to 3".



FREESTANDING TUB FILLER W/ HAND SHOWER

MODEL NO. 10110

- · Rough-in required (sold separately, model #10123).
- Floor mounted, single post design.
- ADA compliant lever handles control desired volume and temperature.
- 3/4" hot and cold ceramic disk 1/4 turn cartridges.
- Push lever diverts water flow between tub spout and hand shower.
- Overall height: 62-1/8".
- Floor to spout tip height: 38".
- 17" articulated spout reach.
- 18 gpm tub spout flow rate.
- Laminar spout flow creates a solid stream of water without splatter.
- · Long reaching 60" spray hose.
- Spray arm spring technology allows hand shower to extend with ease.
- 4" hand shower spray face.
- 1.75 gpm hand shower flow rate.
- Hand shower includes thumb tab for a smooth transition between spray options.
- 3 individual spray options firm, massage or soft aerated spray.
- Hand shower can be adjusted up and down to desired spray angle.

### SLIDE BAR HAND SHOWER

MODEL NO. 10107

- Wheeled slide bar allows for variable shower heights.
- Bar mount locks hand shower in place to desired height, angle and position.
- 4" wide spray face.
- 60" hose length.
- 1.75 gpm flow rate.
- Hand shower includes thumb tab lock for a smooth transition between spray options.
- 3 individual spray options firm, massage or soft aerated spray.
- · Resistant to reverse osmosis water.



MODEL NO. 10111

- Rough-in required (sold separately, model #10124).
- 4 hole, 1-1/4" diameter mounting design.
- Handles can be installed on deck between 8" to 16" on center.
- 3/4" hot and cold ceramic disk 1/4 turn cartridges.
- 9" tub spout reach.
- 18 gpm tub filler flow rate at 45psi.
- Laminar spout flow creates a solid stream of water without splatter.
- 4" wide hand shower spray face.
- 1.75 gpm hand shower flow rate.
- Shower head reverse flow prevention check valve.
- Push lever diverts water flow between tub spout and hand shower.
- Hand shower includes thumb tab for a smooth transition between spray options.
- 3 individual spray options firm, massage or soft aerated spray.
- Resistant to reverse osmosis water.



### **DECK MOUNT TUB FILLER**

MODEL NO. IOIIIA

- Rough-in required (sold separately, model #10124).
- Nautical industrial inspired design enhances any bathroom.
- 3 Hole, 1-1/4" diameter mounting design.
- Handles can be installed on deck between 8" to 16" on center.
- 3/4" hot and cold ceramic disk 1/4 turn cartridges.
- 9" tub spout reach.
- 18 gpm tub filler flow rate at 45psi.
- Laminar spout flow creates a solid stream of water without splatter.
- Resistant to reverse osmosis water.



### WALL MOUNT TUB SPOUT W/ BACK PLATE

MODEL NO. 10106

- 9" tub spout reach.
- 18 gpm flow rate at 45psi.
- Laminar spout flow creates a solid stream of water without splatter.
- 5-1/2"W x 8-1/4"H back plate.
- Resistant to reverse osmosis water.



#### LAVATORY FAUCET

MODEL NO. 10100

- Two-handle, widespread bathroom lavatory faucet.
- Push drain not included.
- 6-3/8" spout reach.
- Handles can be installed between 8" to 16" on center.
- 1/2" hot and cold ceramic disk 1/4 turn cartridges.
- 1.75 gpm maximum flow rate.
- Aerated spout tip for smooth water flow.
- 20" reinforced braided connection hoses with 3/8" compression fitting.
- Resistant to reverse osmosis water.



#### LAVATORY PUSH DRAIN W/ OVERFLOW\*

MODEL NO. 10112

- 2-1/2" wide with 1-1/2" push cap.
- 2" maximum sink thickness.
- 6" long tail piece.

\*ALSO AVAILABLE WITHOUT OVERFLOW DRAIN HOLE MODEL NO. 10113



## **TOILET PAPER HOLDER**

MODEL NO. 10160

- Pull-to-unlock holder rod pivots vertically to make changing tissue quick and easy.
- Rod pivots back into place and locks to secure paper.
- 10"W x 3-1/4"H back plate.
- Includes heavy duty snap toggle mounting system for drywall and screws for wood doors or panels.



#### **TOWEL BARS**

MODEL NO. 10165, 10170, 10175, 10180

- Available in 8in, 18in, 24in or 30in wide.
- Includes heavy duty snap toggle mounting system for drywall and screws for wood doors or panels.



- Single or double robe hooks
- Single hook is 2-1/2"W x 3-7/16"H back plate.
- Double hook is 2-1/2"W x 3-3/8"H backplate.
- Extends 3-5/8" from wall.
- Includes heavy duty snap toggle mounting system for drywall and screws for wood doors or panels.
- Ideal for hanging heavy robes or towels.





## PRICING BY MODEL

MODEL	NAME	GRP I	GRP 2	ROUGH
10100	LAVATORY FAUCET	3675	3950	
10101	THERMOSTATIC SHOWER TRIM W/ BUILT-IN VOLUME CONTROL (REQUIRES 10120 ROUGH-IN)	7045	8400	
10120	THERMOSTATIC SHOWER VALVE (ROUGH-IN FOR 10101)			1325
10103	RETRACTABLE WHEEL SYSTEM W/ HAND SHOWER	11500	12850	
10105	DIVERTER TRIM (REQUIRES 10121 ROUGH-IN)	2910	3550	
10121	DIVERTER CONTROL VALVE (ROUGH-IN FOR 10105)			1050
10106	WALL MOUNT TUB SPOUT W/ BACK PLATE	3850	4135	
10107	SLIDE BAR HAND SHOWER	7875	8275	
10108	WALL MOUNT SHOWER HEAD W/ BACK PLATE	3950	4325	
10110	FREESTANDING TUB FILLER W/ HAND SHOWER (REQUIRES 10123 ROUGH-IN)	13000	15550	
10123	FREESTANDING TUB VALVE (ROUGH-IN FOR 10110)			1250
10111	DECK MOUNT TUB FILLER W/ HAND SHOWER (REQUIRES 10124 ROUGH-IN)	9600	10725	
10111A	DECK MOUNT TUB FILLER (REQUIRES 10124 ROUGH-IN)	7025	7850	
10124	DECK MOUNT TUB VALVE (ROUGH-IN FOR 10111, 10100A)			985
10112	LAVATORY PUSH DRAIN W/ OVERFLOW	475	550	
10113	LAVATORY PUSH DRAIN W/O OVERFLOW	435	510	
10150	SINGLE ROBE HOOK	1225	1350	
10155	DOUBLE ROBE HOOK	1325	1460	
10160	TOILET PAPER HOLDER	1850	2135	
10165	8" TOWEL BAR	1925	2115	
10170	12" TOWEL BAR	2200	2425	
10175	24" TOWEL BAR	2450	2695	
10180	30" TOWEL BAR	2650	2915	

All Argonaut Bath Suite products are available in 6 Finishes: Chrome, Classic Bronze, Matte Black, Polished Nickel, Satin Nickel and Unlacquered Polished Brass

FINISH GROUP 1: CH

FINISH GROUP 2: CLZ, MB, PN, SN, UPB



